

Rail Tongs

RG2500, RG3000 AND RG4800

Rail and Sleeper Handling



Pandrol's Rail Tongs are used to install and maintain continuous welded rail (CWR). The Rail Tongs clip automatically onto the rail being moved and are designed to be fastened to all types of hauling and rail removal equipment.

Three models are available: RG2500, RG3000 and RG4800.

The RG2500 rail grip model, which has an integrated towing support welded onto the side, enables rails to be towed.

The RG3000 has two towing supports and is compliant to AREMA requirements.

The RG4800's four-roller grip design is specifically intended to help prevent damage to rail sections that need to be removed or moved as a single, unified section of rail. Its rolling design enhances overall reliability and minimises potential points of failure. Its high-quality cam bearings are built to last.

→ TECHNICAL FEATURES

Automatic clipping

The tongs automatically clip onto the rail, minimising the risk of damage. This unique design also makes it easy to apply and remove.

Towing Rail

The **RG2500** allows the towing of rails due to the towing support welded onto the side of it. When towing rails, turn the support in the towing direction.

Efficient handling of long rails

When replacing rails on an existing track, the **RG2500** and **RG3000** tool can be used to both remove the old rails and roll the new ones into position. While being lightweight and easy to use, it offers the same power as more traditional alternatives.

Manoeuvrability

When using the roller grip **RG4800**, the rails only need to be raised very slightly off the ground to enable a proper grip. This uses the weight of the rails themselves, while allowing them to be moved sideways at the same time.

Lightweight and portable

The rail grip are made of high-tensile Swedish steel, with a minimal number of moving parts. As a result, the **RG2500** and **RG3000** Rail Grip are extremely lightweight, making it easier to move to and from site.

Durability and testing

With high-quality, reliable components, the **RG4800** requires very little maintenance throughout its life. It has been tested thoroughly and is supplied with CE certification.

→ ADVANTAGES

- The rail tongs are designed for fast and easy sideways positioning of rails and enables them to be handled smoothly and safely.
- Automatic clipping allows for quick and easy fixing to the rail and minimises the risk of damage.
- Made of high-tensile Swedish steel, the rail tongs are lightweight and portable, easy to move on and off site.
- The rail tongs are compatible for use with all types of hauling and rail removal equipment.
- As a tool it is robust, long-lasting and requires minimal maintenance. As a result, it is more cost-effective than other rail handling systems.

→ COMPONENTS

RG2500

1. Lifting eye
2. Towing support


RG3000

1. Lifting eye
2. Towing support


RG4800

1. Lifting frame
2. Lifting arm
3. Shackle
4. Cam bearing complete


RG2500



RG3000



RG4800



→ SPECIFICATIONS

Technical data			
Description	RG2500 Rail Grip	RG3000 Rail Grip	RG4800 Roller Grip
Item number	20610001	5013433	20200009
Weight	5kg (11lb)	7,1 kg (15.7lb)	28kg (62lb)
Maximum load	2500kg (5510lb)	3000kg (6614lb)	4800kg (10580lb)
Height	270mm (10.6in)	270mm (10.6in)	335mm (13.2in)
Width	160mm (6.3in)	160mm (6.3in)	310mm (12.2in)
Application rail type	50 E3, 50 E4, 60 E1, 56 E1	132RE, 136RE, 141RE, TR68	Vignol Rail
Surface treatment	Linseed oil	Linseed oil	Solid Paint RAL1004 Yellow

Standard compliance

Machinery directive 2006/42/CE
AREMA (RG3000 only)

→ LEARN MORE



www.pandrol.com